JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 414 (1991)

AUTHOR INDEX

Akhnoukh, T., (414) 381
Alcock, N.W., (414) 285
Alm, J., (414) C61
Alvarez, S., (414) 245
Anderson, G.K., (414) 129
Angelici, R.J., (414) 177
Antiñolo, A., (414) 155

Ballester, L., (414) 411
Barlage, W., (414) 193
Basu, P., (414) 421
Belsky, V.K., (414) 11
Bem, D.S., (414) 23
Bodensieck, U., (414) C28
Brooker, S., (414) 327
Brunner, H., (414) 401
Bulychev, B.M., (414) 11

Cardin, C.J., (414) C9
Cardin, D.J., (414) C9
Chakravorty, A., (414) 421
Chattopadhyay, S., (414) 421
Chen, J.-T., (414) C64
Convery, M.A., (414) C9
Costella, L., (414) 109

Daran, J.-C., (414) C22
Davies, S.J., (414) C51
Degnan, I.A., (414) 285
Del Zotto, A., (414) 109
Devereux, M.M., (414) C9
Doidge-Harrison, S.M.S.V., (414) C5
Dong, Q., (414) 137
Dong, T.-Y., (414) 227
Drost, C., (414) 307

Eber, B., (414) 361
Echavarren, A.M., (414) 393
Edelmann, F.T., (414) 327
Ellert, O.G., (414) 55
Emmerich, C., (414) 71
Eremenko, I.L., (414) 55
Ettel, F., (414) 71

Fajardo, M., (414) 155
Fehlhammer, W.P., (414) 261
Feng, T., (414) 89
Finck, W., (414) 261
Font-Bardia, M., (414) 245
Foucher, D.A., (414) C1
Fürstner, A., (414) 295

Gahlmann, F., (414) 271
Gamper, S., (414) C39
Gibson, C.P., (414) 23
Gremler, S., (414) 337
Guerchais, V., (414) 373
Günauer, D., (414) 361
Gunn, M., (414) C22
Gutierrez, A., (414) 411
Gutierrez-Puebla, E., (414) 411

Hahn, F.E., (414) C12
Heeres, H.J., (414) 351
Herberich, G.E., (414) 193
Herrmann, E., (414) 337
Howie, R.A., (414) C5
Hu, Q.-M., (414) 137, 219
Huang, J., (414) 49
Huang, Y.-Z., (414) 49
Huttner, G., (414) 71, 89, 361
Hwang, M.-Y., (414) 227
Hwu, J.-M., (414) 33

Imhof, W., (414) 89, 361
Irvine, J.T.S., (414) C5
Ishikawa, M., (414) 1

Jaouen, G., (414) C22
Jenke, T., (414) C28
Johnson, B.F.G., (414) C51
Jones, P.G., (414) 337
Jürgens, H.-U., (414) C61

Karsch, H.H., (414) C39
Kaverin, V.V., (414) 55
Kelly, N.B., (414) C9
Kireeva, O.K., (414) 11
Klingebiel, U., (414) 307
Knjazhanskij, S.Ya., (414) 11
Kollegger, G., (414) 295
Krause, K., (414) C54
Kudinov, A.R., (414) 97

Lapinte, C., (414) 373
Lau, P., (414) 89
Lee, G.-H., (414) 227, C64
Lee, T.-Y., (414) 227
Lewis, J., (414) C51
Liao, F.-L., (414) 165
Lin, H.-M., (414) 227
Lindner, E., (414) C19
Linn, K., (414) 193
López, C., (414) 245
López, J., (414) 393
Lough, A.J., (414) C1

Mach, K., (414) C15
Manners, I., (414) C1
Mathieu, R., (414) 209
Meetsman, A., (414) 351
Mezzetti, A., (414) 109
Mironov, A.V., (414) 97
Mita, I., (414) 311
Monge, A., (414) 411
Montoya, J., (414) 393
Mosinski, H., (414) C45
Mourad, H., (414) 155
Mugnier, Y., (414) 155
Müller, G., (414) C39
Müller, J., (414) 381
Muratov, D.V., (414) 97

Nabaoui, H., (414) 155
Nefedov, S.E., (414) 55
Neumüller, B., (414) 271

Noltemeyer, M., (414) 307, 327
Novotortsev, V.M., (414) 55
Nünthel, R., (414) C54

Orazsakhatov, B., (414) 55
Otero, A., (414) 155

Pabel, M., (414) C19
Pasynskii, A.A., (414) 55
Peng, S.-M., (414) 227
Perez, S., (414) 411
Perpiñan, M.F., (414) 411
Peters, K., (414) 319
Petrovskii, P.V., (414) 97
Prester, F., (414) 401

Qian, C., (414) C12

Raithby, P.R., (414) C51
Rath, N.P., (414) 129
Recknagel, A., (414) 327
Rigo, P., (414) 109
Roe, S.M., (414) 285
Ros, J., (414) 209
Rosenstock, T., (414) C45
Ruiz, C., (414) 411
Rutar, V., (414) 177
Rybinskaya, M.I., (414) 97

Sakamoto, H., (414) 1
Santos, A., (414) 393
Scheer, M., (414) 337
Scheffler, K., (414) 145
Schenkl, M., (414) 145
Schlaefke, J., (414) 319
Schnering, H.G. von, (414) 319
Shiu, K.-B., (414) 165
Shrimal, A.K., (414) 65
Sinha, C., (414) 421
Slovokhotov, Yu.L., (414) 97
Solans, X., (414) 245
Soloveichik, G.L., (414) 11
Song, L.-C., (414) 137, 219
Sonn, I., (414) 381
Spencer, G., (414) C5
Srivastava, A., (414) 65
Srivastava, S.C., (414) 65
Stalke, D., (414) 327
Stegmann, H.B., (414) 145
Steinborn, D., (414) C45, C54
Steiner, A., (414) 327
Stoeckli-Evans, H., (414) C28
Struchkov, Yu.T., (414) 55, 97
Süss-Fink, G., (414) C28
Suzuki, T., (414) 311

Teuben, J.H., (414) 351
Thornback, J.R., (414) C22
Timofeeva, T.V., (414) 97
Top, S., (414) C22
Troyanov, S.I., (414) C15
Tseng, L.-H., (414) 227
Tudoret, M.-J., (414) 373

Vaissermann, J., (414) C22
von Schnering, H.G., (414) 319

Wallbridge, M.G.H., (414) 285
Wang, S.-L., (414) 33, 165
Wang, Y., (414) C64
Wang, Y.-P., (414) 33
Wardell, J.L., (414) C5
Weidenbruch, M., (414) 319
Weidmann, H., (414) 295
Wu, Y.-J., (414) 33

Xie, Z., (414) C12

Yamamoto, T., (414) 119
Yañez, R., (414) 209
Yang, H., (414) 137
Yanovsky, A.I., (414) 55
Yeh, Y.-S., (414) C64
Yih, K.-H., (414) 165

Zalmanovitch, V.R., (414) 55
Zanotti, V., (414) 177
Zellner, K., (414) C39
Zhou, Z., (414) 119
Zsolnai, L., (414) 71, 361

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 414 (1991)

SUBJECT INDEX

Aluminium

Alumohydride group, change of bonding mode in biscyclopentadienylhydrido REM complexes from heterometallic to homometallic; crystal and molecular structures of $[(\eta^5\text{-}C_5H_5)_2Yb(\mu_3\text{-}H)]_2[(\mu_2\text{-}H)AlH_2\cdot N(C_2H_5)_3]_2\cdot C_6H_6$, $[(\eta^5\text{-}C_5H_5)_2Lu(\mu_2\text{-}H)]_2[(\mu_2\text{-}H)_2AlH\cdot N(C_2H_5)_3]_2\cdot C_6H_6$ and $[(\eta^5\text{-}C_5H_5)_2Lu]_3(\mu_2\text{-}H)_2(\mu_3\text{-}H)$ (S.Ya. Knjazhanskij, B.M. Bulychev, O.K. Kireeva, V.K. Belsky, G.L. Soloveichik), (414) 11

Arsenic

Acetylstyrene- and benzoylstyrene-tricarbonylchromium, and 1-acetyl- and 1-benzoyl-2-ferrocenylethylene, preparation of (J. Huang, Y.-Z. Huang), (414) 49

(μ-tert-Butylthio)(μ-methylarsino)hexacarbonyldiiron double cluster complex, synthesis and molecular structure of (L.-C. Song, Q.-M. Hu), (414) 219

Boron

Diorganoindium fluorides; crystal structures of $[^iPr_2In(THF)_2][BF_4]$ and $(MesBO)_3$ (B. Neumüller, F. Gahlmann), (414) 271

Pentaphenylboracyclotrisiloxane, $BSi_2O_3Ph_5$, highly strained heterocyclosiloxane; synthesis and crystal structure of (D.A. Foucher, A.J. Lough, I. Manners), (414) C1

Cerium

Cationic cerium compounds $[Cp^*_2Ce(L)_2][BPh_4]$ (L = tetrahydrofuran or tetrahydrothiophene), synthesis of; crystal structure of the tetrahydrothiophene derivative (H.J. Heeres, A. Meetsma, J.H. Teuben), (414) 351

Chromium

Acetylstyrene- and benzoylstyrene-tricarbonylchromium, and 1-acetyl- and 1-benzoyl-2-ferrocenylethylene, preparation of (J. Huang, Y.-Z. Huang), (414) 49

Complexed triphosphanes, preparation and characterisation of; crystal structure of $HP[PPh_2Cr(CO)_5]_2$ (M. Scheer, S. Gremler, E. Herrmann, P.G. Jones), (414) 337

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, Friedel–Crafts cynichrodenoylation of; crystal structures of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)$ and $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}\{2\text{-}C(O)\text{-}[(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)]\}\text{-}C_5H_3)Fe(\eta^5\text{-}C_5H_5)$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang, Y.-J. Wu), (414) 33

Triangular cluster $Cp_2Cr_2(\mu\text{-}SCMe_3)(\mu_3\text{-}S)_2Ir(CO)(PPh_3)$ and octanuclear cluster $Cp_2Cr_2(\mu_3\text{-}S)_2(\mu_4\text{-}S)Rh_2\{Cp_2Cr_2(\mu\text{-}SCMe_3)(\mu_3\text{-}S)_2\}_2$ with unusual triangular heterometalloornament framework; synthesis, molecular structure and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, V.R. Zalmanovitch, V.V. Kavarin, B. Orazsakhatov, S.E. Nefedov, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky, Yu.T. Struchkov), (414) 55

Cobalt

$(\eta^5\text{-}C_5H_4CH_3)_4Co_2Fe_2(\mu_3\text{-}NO)_2$ and trinuclear methylcyclopentadienyl hetero-metal clusters with μ_3-NH and μ_3-NO ligands, synthesis and structures of (J. Müller, I. Sonn, T. Akhnoukh), (414) 381

Enantioselective Co-catalysed homo Diels–Alder reaction of norbornadiene with acetylenes (H. Brunner, F. Prester), (414) 401

Organometallic cobaloximes containing an equatorial diphenylglyoximato(–1) ligand; comparison between their properties and those of other B_{12} model compounds; crystal structure of *trans*-$[Co(dpgH)_2(CH_3)(pyridine)]$ (C. López, S. Alvarez, M. Font-Bardía, X. Solans), (414) 245

Substituted η^4-cyclooctadiene-1,5-η^5-cyclopentadienyl-cobalt complexes, preparation by reaction of cobaltocenes with alkene cobaltates(1–) (H.-U. Jürgens, J. Alm), (414) C61

Gold

μ-(1,2-Diisocyanobenzol)bis(chlorogold), addition of amines to; participation of neighbouring isocyano functions and [Au]C transfer (W.P. Fehlhammer, W. Finck), (414) 261

$[TlAu(C_5H_4PPh_2)_2]_2$ tetrametallic complex, synthesis and structure of (G.K. Anderson, N.P. Rath), (414) 129

Indium

Diorganoindium fluorides; crystal structures of $[^iPr_2In(THF)_2][BF_4]$ and $(MesBO)_3$ (B. Neumüller, F. Gahlmann), (414) 271

Organoindium derivatives, preparation and characterisation of; crystal structure of dimethyl(salicylaldehyde)indium (N.W. Alcock, I.A. Degnan, S.M. Roe, M.G.H. Wallbridge), (414) 285

Iridium

Rhodium(I) and iridium(I) complexes with 1,2-bis(dicyclohexylphosphino)ethane ligands; their reactions with carbon monoxide (A. Del Zotto, L. Costella, A. Mezzetti, P. Rigo), (414) 109

Triangular cluster $Cp_2Cr_2(\mu\text{-}SCMe_3)(\mu_3\text{-}S)_2Ir(CO)(PPh_3)$ and octanuclear cluster $Cp_2Cr_2(\mu_3\text{-}S)_2(\mu_4\text{-}S)Rh_2[Cp_2Cr_2(\mu\text{-}SCMe_3)(\mu_3\text{-}S)_2]_2$ with unusual triangular heterometalloornament framework; synthesis, molecular structure and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, V.R. Zalmanovitch, V.V. Kavarin, B. Orazsakhatov, S.E. Nefedov, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky, Yu.T. Struchkov), (414) 55

Iron

Acetylstyrene- and benzoylstyrene-tricarbonylchromium, and 1-acetyl- and 1-benzoyl-2-ferrocenylethylene, preparation of (J. Huang, Y.-Z. Huang), (414) 49

Anionic alkenyl-bridged diiron complexes, new routes to; their reactions with propargyl chloride (R. Yáñez, J. Ros, R. Mathieu), (414) 209

(μ-tert-Butylthio)(μ-methylarsino)hexacarbonyldiiron double cluster complex, synthesis and molecular structure of (L.-C. Song, Q.-M. Hu), (414) 219

$(\eta^5\text{-}C_5H_4CH_3)_4Co_2Fe_2(\mu_3\text{-}NO)_2$ and trinuclear methylcyclopentadienyl hetero-metal clusters with μ_3-NH and μ_3-NO ligands, synthesis and structures of (J. Müller, I. Sonn, T. Akhnoukh), (414) 381

Chiral iron secondary methoxycarbene $[Fe(C_5Me_5)(CO)(PMePh_2)(CHOMe)][SO_3CF_3]$, synthesis and characterisation of (M.-J. Tudoret, V. Guerchais, C. Lapinte), (414) 373

closo-Clusters, carbene-ligand assisted formation of; test of a model to clarify the redox activity of *nido*- and *closo*-compounds (B. Eber, G. Huttner, D. Günauer, W. Imhof, L. Zsolnai), (414) 361

Complexed triphosphanes, preparation and characterisation of; crystal structure of $HP[PPh_2Cr(CO)_5]_2$ (M. Scheer, S. Gremler, E. Herrmann, P.G. Jones), (414) 337

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, Friedel–Crafts cynichrodenoylation of; crystal structures of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)$ and $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}\{2\text{-}C(O)\text{-}[(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)]\}\text{-}C_5H_3)Fe(\eta^5\text{-}C_5H_5)$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang, Y.-J. Wu), (414) 33

$[(\eta\text{-}C_5R_5)M^+]$ fragments (M = Fe, R = H; M = Ru, R = H, Me) in synthesis of cationic clusters; crystal structure of $[RuRh_3(\eta\text{-}C_5Me_5)(\eta\text{-}C_5H_5)_3(\mu_3\text{-}CO)_3]PF_6$ (A.R. Kudinov, D.V. Muratov, M.I. Rybinskaya, P.V. Petrovskii, A.V. Mironov, T.V. Timofeeva, Yu.L. Slovokhotov, Yu.T. Struchkov), (414) 97

$[Fe_4(CO)_{10}(PR)_2(\mu_2\text{-}COEt)]^{\cdot}$, functionalisation of the CO group of an anionic radical cluster (T. Feng, P. Lau, W. Imhof, G. Huttner), (414) 89

Interannular bridged ferrocenophanium salts, physical properties of; structural, NMR, EPR, and Mössbauer studies (T.-Y. Dong, H.-M. Lin, M.-Y. Hwang, T.-Y. Lee, L.-H. Tseng, S.-M. Peng, G.-H. Lee), (414) 227

Lanthanium

$(MeCp)_3La$ ($MeCp = CH_3C_5H_4$), a tetrameric complex of the type $[(MeCp)_3La]_4$, synthesis and molecular structure of (Z. Xie, F.E. Hahn, C. Qian), (414) C12

Lead

Paramagnetic organolead complexes; EPR investigation of their formation and structures (H.B. Stegmann, M. Schenkl, K. Scheffler), (414) 145

Lithium

Lithium-coordinated phosphinomethanides, influence of Co-ligands upon; crystal structure of $\{(THF)Li[C(SiMe_3)_2(PMe_2)]\}_2$ (H.H. Karsch, K. Zellner, S. Gamper, G. Müller), (414) C39

Lutetium

Alumohydride group, change of bonding mode in biscyclopentadienylhydrido REM complexes from heterometallic to homometallic; crystal and molecular structures of $[(\eta^5\text{-}C_5H_5)_2Yb(\mu_3\text{-}H)]_2[(\mu_2\text{-}H)AlH_2 \cdot N(C_2H_5)_3]_2 \cdot C_6H_6$, $[(\eta^5\text{-}C_5H_5)_2Lu(\mu_2\text{-}H)]_2[(\mu_2\text{-}H)_2AlH \cdot N(C_2H_5)_3]_2 \cdot C_6H_6$ and $[(\eta^5\text{-}C_5H_5)_2Lu]_3(\mu_2\text{-}H)_2(\mu_3\text{-}H)$ (S.Ya. Knjazhanskij, B.M. Bulychev, O.K. Kireeva, V.K. Belsky, G.L. Soloveichik), (414) 11

Manganese

$[\{Cp'(CO)_2Mn\}_2SnHal]^-$, trigonal-planar coordinated Sn^0 in; "inidene" type tin compounds (F. Ettel, G. Huttner, L. Zsolnai, C. Emmerich), (414) 71

(η-Methylcyclopentadienyl)manganese tricarbonyl, reactions with primary amines (S.C. Srivastava, A.K. Shrimal, A. Srivastava), (414) 65

1,3-Propanediylbis(pentacarbonylmanganese), preparation via the bistriflate method (E. Lindner, M. Pabel), (414) C19

Mercury

M–Hg–M (M = Cr, Mo, W) structural unit, unexpected metal–metal bond formation in; synthesis and characterisation of $[\eta^5\text{-}RC_5H_4(CO)_3M]_2Hg$ complexes (R = H, M = W; R = CH_3CO, M = Cr, Mo, W) (L.-C. Song, H. Yang, Q. Dong, Q.-M. Hu), (414) 137

Metallocenes

Acetylstyrene- and benzoylstyrene-tricarbonylchromium, and 1-acetyl- and 1-benzoyl-2-ferrocenylethylene, preparation of (J. Huang, Y.-Z. Huang), (414) 49

Bis(η^5-cyclopentadienyl)dihydridotungsten, insertion reactions with activated olefins and with acetylenes; preparation of tungstenocene alkyl hydrides, olefin and acetylene complexes (G.E. Herberich, W. Barlage, K. Linn), (414) 193

Interannular bridged ferrocenophanium salts, physical properties of; structural, NMR, EPR, and Mössbauer studies (T.-Y. Dong, H.-M. Lin, M.-Y. Hwang, T.-Y. Lee, L.-H. Tseng, S.-M. Peng, G.-H. Lee), (414) 227

Substituted η^4-cyclooctadiene-1,5-η^5-cyclopentadienyl-cobalt complexes, preparation by reaction of cobaltocenes with alkene cobaltates(1–) (H.-U. Jürgens, J. Alm), (414) C61

Molybdenum

Molybdenum(II) carbonyl complexes, chelate-assisted synthesis of; crystal structure of $[Mo(\eta^2\text{-}dppm)(\eta^1\text{-}dppm)(CO)_2Br_2]$ (dppm = bis(diphenylphosphino)methane) (K.-B. Shiu, K.-H. Yih, S.-L. Wang, F.-L. Liao), (414) 165

Nickel

$[Ni(\eta\text{-}CH_3C_5H_4)(X)(PPh_3)]$ and functionally substituted monocyclopentadienyl derivatives with other phosphines, preparation of; crystal structure of $[Ni(\eta\text{-}CH_3C_5H_4)(I)(PPh_3)]$ (L. Ballester, S. Perez, A. Gutierrez, M.F. Perpiñan, E. Gutierrez-Puebla, A. Monge, C. Ruiz), (414) 411

Zerovalent nickel complex mediated carbon–carbon coupling reactions of haloaromatic compounds; preparation of cyclic oligomers of thiophene and benzene and stable anthrylnickel(II) complexes (Z. Zhou, T. Yamamoto), (414) 119

Niobium

Bis-silylated cyclopentadienylniobium(V) cationic complexes, synthesis and electrosynthesis of; their reactions and structural characterisation (A. Antiñolo, M. Fajardo, A. Otero, Y. Mugnier, H. Nabaoui, H. Mourad), (414) 155

Palladium

Platinum and palladium compound catalysed formation of acetals from alcohols and acetylene (D. Steinborn, R. Nünthel, K. Krause), (414) C54

Platinum(IV), platinum(II) and palladium(II) cyclometallates of benzylthio- or benzosulphinyl-substituted azobenzenes, properties of (S. Chattopadhyay, C. Sinha, P. Basu, A. Chakravorty), (414) 421

Phosphorus

closo-Clusters, carbene-ligand assisted formation of; test of a model to clarify the redox activity of *nido*- and *closo*-compounds (B. Eber, G. Huttner, D. Günauer, W. Imhof, L. Zsolnai), (414) 361

Complexed triphosphanes, preparation and characterisation of; crystal structure of $HP[PPh_2Cr(CO)_5]_2$ (M. Scheer, S. Gremler, E. Herrmann, P.G. Jones), (414) 337

Enantioselective Co-catalysed homo Diels–Alder reaction of norbornadiene with acetylenes (H. Brunner, F. Prester), (414) 401

$[Fe_4(CO)_{10}(PR)_2(\mu_2\text{-COEt})]^-$, functionalisation of the CO group of an anionic radical cluster (T. Feng, P. Lau, W. Imhof, G. Huttner), (414) 89

Lithium, samarium and ytterbium diiminophosphinates; crystal structures of $Li[Ph_2P(NSiMe_3)_2](THF)_2$ and $[Ph_2P(NSiMe_3)_2]_2Sm(\mu\text{-I})_2Li(THF)_2$ (A. Recknagel, A. Steiner, M. Noltemeyer, S. Brooker, D. Stalke, F.T. Edelmann), (414) 327

Lithium-coordinated phosphinomethanides, influence of Co-ligands upon; crystal structure of $\{(THF)Li[C(SiMe_3)_2(PMe_2)]\}_2$ (H.H. Karsch, K. Zellner, S. Gamper, G. Müller), (414) C39

Platinum

α-Ketoacyl complex with planar *s-cis* oxalyl configuration; crystal structure of *trans*-$[Pt(COCOOMe)(OH_2)(PPh_3)_2](CF_3SO_3)$ (J.-T. Chen, Y.-S. Yeh, G.-H. Lee, Y. Wang), (414) C64

Platinum and palladium compound catalysed formation of acetals from alcohols and acetylene (D. Steinborn, R. Nünthel, K. Krause), (414) C54

Platinum(IV), platinum(II) and palladium(II) cyclometallates of benzylthio- or benzosulphinyl-substituted azobenzenes, properties of (S. Chattopadhyay, C. Sinha, P. Basu, A. Chakravorty), (414) 421

Potassium

Potassium alcoholate/crown ether dissolved in hydrocarbon phase as catalyst system for the synthesis of vinyl ethers from acetylenes and alcohols (D. Steinborn, H. Mosinski, T. Rosenstock), (414) C45

Rhenium

eq,eq-$Re_2(CO)_8(MeCN)_2$, reactions with phenylacetylene and α-ethynylestradiol; new synthesis of acetylide complexes (S. Top, M. Gunn, G. Jaouen, J. Vaissermann, J.-C. Daran, J.R. Thornback), (414) C22

Rhodium

Rhodium(I) and iridium(I) complexes with 1,2-bis(dicyclohexylphosphino)ethane ligands; their reactions with carbon monoxide (A. Del Zotto, L. Costella, A. Mezzetti, P. Rigo), (414) 109

Triangular cluster $Cp_2Cr_2(\mu\text{-SCMe}_3)(\mu_3\text{-S})_2Ir(CO)(PPh_3)$ and octanuclear cluster $Cp_2Cr_2(\mu_3\text{-S})_2(\mu_4\text{-S})Rh_2[Cp_2Cr_2(\mu\text{-SCMe}_3)(\mu_3\text{-S})_2]_2$ with unusual triangular heterometalloornament framework; synthesis, molecular structure and magnetic properties of (A.A. Pasynskii, I.L. Eremenko, V.R. Zalmanovitch, V.V. Kavarin, B. Orazsakhatov, S.E. Nefedov, O.G. Ellert, V.M. Novotortsev, A.I. Yanovsky, Yu.T. Struchkov), (414) 55

Ruthenium

[(η-C_5R_5)M^+] fragments (M = Fe, R = H; M = Ru, R = H, Me) in synthesis of cationic clusters; crystal structure of [$RuRh_3$(η-C_5Me_5)(η-C_5H_5)$_3$(μ_3-CO)$_3$]PF_6 (A.R. Kudinov, D.V. Muratov, M.I. Rybinskaya, F.V. Petrovskii, A.V. Mironov, T.V. Timofeeva, Yu.L. Slovokhotov, Yu.T. Struchkov), (414) 97

Dodecacarbonyltriruthenium, reaction with hydrazones; preparation and crystal structure of (μ_2-H)$Ru_3(CO)_{10}$[μ-(*R*)-NHN=$\overline{CCH_2CH(CMe_2)CH_2CH_2C}$Me] (T. Jenke, U. Bodensieck, H. Stoeckli-Evans, G. Süss-Fink), (414) C28

Mononuclear and oligomeric ruthenium(II) acetylides, synthesis of (S.J. Davies, B.F.G. Johnson, J. Lewis, P.R. Raithby), (414) C51

Ruthenium(II) complexes as promoters of phenylacetylene dimerisation (A.M. Echavarren, J. López, A. Santos, J. Montoya), (414) 393

Silicon

Complexed triphosphanes, preparation and characterisation of; crystal structure of $HP[PPh_2Cr(CO)_5]_2$ (M. Scheer, S. Gremler, E. Herrmann, P.G. Jones), (414) 337

Enantioselective Co-catalysed homo Diels–Alder reaction of norbornadiene with acetylenes (H. Brunner, F. Prester), (414) 401

Lithium, samarium and ytterbium diiminophosphinates; crystal structures of $Li[Ph_2P(NSiMe_3)_2](THF)_2$ and $[Ph_2P(NSiMe_3)_2]_2Sm(\mu\text{-}I)_2Li(THF)_2$ (A. Recknagel, A. Steiner, M. Noltemeyer, S. Brooker, D. Stalke, F.T. Edelmann), (414) 327

Lithium-coordinated phosphinomethanides, influence of Co-ligands upon; crystal structure of $\{(THF)Li[C(SiMe_3)_2(PMe_2)]\}_2$ (H.H. Karsch, K. Zellner, S. Gamper, G. Müller), (414) C39

Pentaphenylboracyclotrisiloxane, $BSi_2O_3Ph_5$, highly strained heterocyclosiloxane; synthesis and crystal structure of (D.A. Foucher, A.J. Lough, I. Manners), (414) C1

Rhodium-catalysed transsilylation reactions between bis(trimethylsilyl)ethyne and hexyldimethylsilane (T. Suzuki, I. Mita), (414) 311

Six-membered fluorosilyl-functionalised hydrazines, preparation of (C. Drost, U. Klingebiel, M. Noltemeyer), (414) 307

Substituted η^4-cyclooctadiene-1,5-η^5-cyclopentadienyl-cobalt complexes, preparation by reaction of cobaltocenes with alkene cobaltates(1–) (H.-U. Jürgens, J. Alm), (414) C61

Tolyl- and xylylpentamethyldisilanes, photolysis of (M. Ishikawa, H. Sakamoto), (414) 1

Trimethylsilylmethyl ketones and acylsilanes, selective formation of alkenes from (A. Fürstner, G. Kollegger, H. Weidmann), (414) 295

Thallium

[$TlAu(C_5H_4PPh_2)_2]_2$ tetrametallic complex, synthesis and structure of (G.K. Anderson, N.P. Rath), (414) 129

Tin

Bromoheptakis(2,6-diethylphenyl)cyclotetrastannabutane; synthesis, structure and reactivity of (C.J. Cardin, D.J. Cardin, M.A. Convery, M.M. Devereux, N.B. Kelly), (414) C9

[Bu_4N][Me_2SnCl(DMIT)], crystal structure of (S.M.S.V. Doidge-Harrison, R.A. Howie, J.T.S. Irvine, G. Spencer, J.L. Wardell), (414) C5

Distannane with very long Sn–Sn bond distance and synperiplanar conformation (M. Weidenbruch, J. Schlaefke, K. Peters, H.G. von Schnering), (414) 319

Titanium

(η^5-C_5Me_5)$_2$(Me)Ti–OC(Me)=CH_2: titanium enolate or titanium alkoxide? (C.P. Gibson, D.S. Bem), (414) 23

1,1-Dibromo-2,3,4,5,6,7-hexaphenyltitanacycloheptatriene, preparation and molecular structure of (K. Mach, S.I. Troyanov), (414) C15

Tungsten

Bis(η^5-cyclopentadienyl)dihydridotungsten, insertion reactions with activated olefins and with acetylenes; preparation of tungstenocene alkyl hydrides, olefin and acetylene complexes (G.E. Herberich, W. Barlage, K. Linn), (414) 193

Complexed triphosphanes, preparation and characterisation of; crystal structure of $HP[PPh_2Cr(CO)_5]_2$ (M. Scheer, S. Gremler, E. Herrmann, P.G. Jones), (414) 337

M–Hg–M (M = Cr, Mo, W) structural unit, unexpected metal–metal bond formation in; synthesis and characterisation of $[\eta^5\text{-}RC_5H_4(CO)_3M]_2Hg$ complexes (R = H, M = W; R = CH_3CO, M = Cr, Mo, W) (L.-C. Song, H. Yang, Q. Dong, Q.-M. Hu), (414) 137

$W(CO)_3$(PMTA) (PMTA = $MeN(CH_2CH_2NMe_2)_2$) as a starting material for syntheses of $W(CO)_3(PR_3)_3$, $W(CO)_3(\eta^6$-arene), and protonated $W(H)(CO)_3(PR_3)_3^+$ complexes (V. Zanotti, V. Rutar, R.J. Angelici), (414) 177

Ytterbium

Alumohydride group, change of bonding mode in biscyclopentadienylhydrido REM complexes from heterometallic to homometallic; crystal and molecular structures of $[(\eta^5\text{-}C_5H_5)_2Yb(\mu_3\text{-}H)]_2[(\mu_2\text{-}H)AlH_2 \cdot N(C_2H_5)_3]_2 \cdot C_6H_6$, $[(\eta^5\text{-}C_5H_5)_2Lu(\mu_2\text{-}H)]_2[(\mu_2\text{-}H)_2AlH \cdot N(C_2H_5)_3]_2 \cdot C_6H_6$ and $[(\eta^5\text{-}C_5H_5)_2Lu]_3(\mu_2\text{-}H)_2(\mu_3\text{-}H)$ (S.Ya. Knjazhanskij, B.M. Bulychev, O.K. Kireeva, V.K. Belsky, G.L. Soloveichik), (414) 11

Book reviews

Reagents for transition metal complex and organometallic syntheses; inorganic syntheses, Vol. 28; edited by R.J. Angelici (J.D. Smith), (414) C33